



VAMPIR 9MM

SEMIAUTOMATI

CGENERATION 2

PROFESSIONAL

LUXURYPISTOL

RS9 VAMPIR LUX GEN2



TECHNICAL DATA

RS9 VAMPIR

Fire mode:	Semi-automatic
Operation:	Short recoil operated, locked breach
Trigger system:	Double action (DA) / Single action (SA)
Trigger pull:	DA 4,5 kg / SA 2 kg
Caliber:	9x19mm PARA
Feed system:	Standard 18 / Optional 20

BARREL PROFILE

Barrel material:	Chrome Molybdenum Steel
Barrel length:	108 mm
Rifling:	6 grooves, right-hand twist, twist rate 250 mm
Type of rifling:	Hexagonal, Polygonal

SIGHT

Fixed 3 dots

RADIUS

161 mm

MUZZLE VELOCITY

360 m/s

RATE OF FIRE

120-140 RPM

EFFECTIVE FIRING RANGE

50 m

MAXIMUM FIRING RANGE

150 m

SLIDE MATERIAL

Steel

FRAME MATERIAL

Aluminium alloy

DIMENSIONS & WEIGHT

DIMENSIONS

Length: 196 mm

Height: 141 mm

Width: 38 mm

WEIGHT

Without magazine: 796 gr

With empty magazine: 890 gr

With full magazine: 1100 gr

RS9 VAMPIR STANDARD GEN2



BLACK



BRONZE



SAND



DARK GREEN



TRB BUILD TO
LAST



DISCLAIMER: By using or accessing this brochure, you agree with the Disclaimer without any qualification or limitation.

The information contained in this brochure is for general information purposes only and is provided without any warranties, be it expressed or implied, including but not limited to warranties of quality, purpose and/or correctness, in each case to the fullest extent permitted by law. Tehnički Remont Bratunac reserves the right to revoke, modify, alter, add, delete and/or terminate any one or more of the terms and conditions outlined in the brochure, without prior notice.

Tehnički Remont Bratunac - Podgradačka 11, 75420 Bratunac, Republika Srpska, Bosna i Hercegovina - +387 56 410 800 - info@trb.ba - www.trb.ba